




# Pool Guide

Please reference the City of Ferguson's Municipal Code and the 2018 International Building Code for more information on the construction documents for your project.



Permit applications are available online at:  
[www.fergusoncity.com](http://www.fergusoncity.com)  
or  
110 Church Street, Ferguson MO 63135

# WHAT DO I NEED?

\$98.17



Fees may vary,  
please check  
with Community  
Development.

## PERMIT APPLICATION

### MAP OF THE PROPERTY AND POOL

#### GENERAL GUIDELINES


- Additional drawings may be needed depending on pool type. i.e. electrical and plumbing
- Pools must be 5' off of property lines and 10' away from other structures
- Fencing is required for pool less than 4' tall
- Gates should open away from pool, be self closing and self locking
- Pools without fencing will need a locking or removeable type ladder
- All electrical connections within 20' should be GFCI protected
- An accessible disconnect shall be provided
- No electrical is permitted to run under a pool
- If wiring is installed without conduit, you must be 18" - 24" below grade



NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

DATE: \_\_\_\_\_

**SITE PLAN**

Check all that apply and draw them on this page

North Arrow  
 Proposed Construction  
 Structures on shared lot lines  
 Accessory structures  
 Existing structures  
 Stormwater

X
X

Distances to lot lines  
 Windows  
 Doors  
 Structure dimensions  
 Retaining wall

X

Patios/Porches/Decks  
 Driveway  
 Sidewalk  
 Fence  
 Pool  
 Other (See notes)



Notes: \_\_\_\_\_

NAME: \_\_\_\_\_


ADDRESS: \_\_\_\_\_

DATE: \_\_\_\_\_

# Foundation Plan



Rough Openings:  
 Electrical  
 Mechanical  
 Plumbing  
 Stormwater



Check all that apply and draw them on this page

North Arrow  
 Proposed Construction  
 Sill plate  
 Anchor Bolt  
 Insulation

x
x

Rough Openings  
 Tie Beams  
 Piers  
 Steel Reinforcement  
 Fill


Patios or Porches  
 Driveway  
 Sidewalk  
 Other (See notes)


Footing Depth Min 30"  
 Fill Depth Min 4"  
 Reinforcement Vertical Spacing Min 36"

Footing Width Min 12"  
 Slab Thickness Min 3 1/2"

Footing Thickness Min 6"  
 Overlap Min 2'  
 Reinforcement Horizontal Min 2/footing and 2/wall

Wall Thickness Typ 8"

Wall/Footing Reinforcement Min #4

Notes:

---



---



---



---



---



---



**(314) 524 - 5677**  
**[plandev@fergusoncity.com](mailto:plandev@fergusoncity.com)**

**Permit applications are available online at:**  
**[www.fergusoncity.com](http://www.fergusoncity.com)**  
**or**  
**110 Church Street, Ferguson MO 63135**